TRICHOPTEROLOGICAL LITERATURE

Many commercial retrieval systems are not complete and are often abandoning taxonomic papers. It is therefore necessary to have a literature list for our own need. Please help to complete this literature list by sending me reprints or references. Please include other scientific works which are not available for general distribution, but may be used in libraries, in particular dissertations which in some contries are produced in very small numbers. These works are sometimes voluminous and contain a lot of new information. —

If you send me reprints, please make sure that the complete reference is included, that is the title of the journal, the volume, the year of publication, and the original page numbers. There are some exceptional journals which have no page headings, while in other cases reprints are paginated separately. This is not adequate for citation.

Authors, editors and referees are requested to indicate clearly in the titles of publications which animals and plants are dealt with, with the scientific names and the higher groups. Do not use common names only, or terms such as "macroinvertebrates". Thus, please write Studies on Hydropsyche pellucidula (Trichoptera, Hydropsychidae) rather than Studies on the yellow-spotted river worm. References to papers without clear indication of the species or higher groups in the title which I have not checked will not be included.

1979

Marinković-Gospodnetić, M. 1979 Trichoptera (Insecta) velikih karstnih izvora u Dinaridima. – Drugi Kongres Ekol.Jugosl., Zarad-Plitvice (1.-7.10.1979):1837-1849.

1986

Allan, J.W., Burton, T.M. 1986 Size-dependent sensitivity of three species of stream invertebrates to pH degression. -Am. Soc. Test Mater., Spec. Tech. Publ. 928:54-66. (Lepidostoma liba)

1987

Kobayashi, M. 1987
Systematic study of the caddisflies from Taiwan, with descriptions of eleven new species (Trichoptera: Insecta). – Bull.Kanagawa Prefect.Mus.Nat.Sci. 17:37-48.

1988

Basaguren, A. 1988
Tricopteros como indicadores de la calidad de las aguas de Bizkaia. Pp.111-118. - In: Iturrondobeitia, J.C. (ed.): Biologia ambiental. Actas Congr. Biol. Ambiental (2 Congreso Mundial Vasco), Tomo 2. Serv. Ed. Univ. Pais Vasco, Bilbao.

Stroot, P. 1988
Etat d'avancement des recherches faunistiques et taxonomiques sur les trichoptères de Belgique: 287-291. - In: Wouters, K., Baert, L. (eds.): Invertébrés de Belgique. CR du Symp. "Invertébrés de Belgique" 25 - 26 Novembre 1988. Bruxelles, Inst.R.Sci.Nat.Belg.:1-468.

Tarter, D.C., Donahue, S.R.

State records of adult micro-caddisflies from West Virginia (Trichoptera: Hydroptilidae). - Proc. W. Va. Acad. Sci. 60:140-146.

Wrona, F.J. 1988
Macroinvertebrate predation on the lotic triclad
Polycelis coronata. - Fortschr. Zool. 36:465-468.
(Rhyacophila vao)

1989

Angrisano, E.B. 1989 Rhyacopsyche yatay, una nueva especie de Hydroptilidae de la Argentina (Trichoptera). -Rev.Soc.Ent.Argent. 6:157-159.

Denning, D.G. 1989 Eight new species of Trichoptera. - Pan-Pac.Ent. 65:123-131.

Gioia Martins-Neto, R. 1989 Novos insetos tertiarios do Estado de Sao Paulo. -Rev.Bras.Geocienc. 19:375-386.

Green, P. 1989
Distribution of Trichoptera within S.Hertfordshire.
- Trans.Hertfordshire Nat.Hist.Soc.Field Club
30:266-275.

Holland, S. 1989 A remarkable caddis fly larva case. -Glos.Nat.Soc.J. 40:140.

Horwitz, P. 1989
The faunal assemblage (or pholeteros) of some freshwater crayfish burrows in southwest Tasmania.
- Aust. Soc. Limnol. Bull. 12:29-36.

Kobayashi, M. 1989
A taxonomic study on the Trichoptera of South Korea, with description of four new species (Insecta). - Bull.Kanagawa Prefect.Mus.Nat.Sci. 18:1-9.

Larsson, J.J.R.

On the cytology and lifecycle of Cougourdella polycentropi Weiser, 1965, with comments on the taxonomy of the genus Cougourdella Hesse, 1935 (Microspora, Cougourdellidae). – Eur. J. Protistol. 25:33-44.

Palma, R.L., Lovis, P.M., Tither, C. 1989 An annotated list of primary types of the phyla Arthropoda (except Crustacea) and Tardigrada held in the National Museum of New Zealand. -Natl. Mus. NZ Misc. Ser. 20:1-49.

Petersson, E. 1989
Age-associated male mating siccess in three swarming caddis fly species (Trichoptera: Leptoceridae). - Ecol.Ent. 14:335-340.

Smith, I.M. 1989
North American water mites of the family
Momoniidae Viets (Acari: Arrenuroidea). 3.Revision
of species of Stygomomonia Szalay, 1943, subgenus
Allomomonia Cook, 1968. - Can.Ent. 121:989-1025.
(on Rhyacophila)

Valvassori, R., Scari, G., de Eguileor, M., di Lernia, L., Maguetti, P., Melone, G. 1989 Gordius viloti (Mematomorpha) life cycle in relation with caddis fly larvae. - Boll. Zool. 55:269-277.

Wrubleski, D.A., Ross, L.C.M.

Diel periodicities of adult emergence of Chironomidae and Trichoptera from the Delta Marsh, Manitoba, Canada. - J. Freshw. Ecol. 5:163-169.

1990

Baltazar, C.R. 1990 An inventory of Philippine Insects. 1. Orders Neuroptera, Strepsiptera, Siphonaptera, Trichoptera & Diptera. – Manila. (Trichoptera: pp. 58-84.

Cianficconi, F., Moretti, G.P. 1990 Catalogo dei tricotteri delle Alpi occidentali considerazioni zoogeografiche. -Riass.Congr.Soc.Ital.Biogeogr.28:23. Kobayashi, N., Nozaki, T. 1990 Aquatic insects of the Nobi area in Yokosuka City, Kanagawa Prefecture, Japan. - Sci.Rep.Yokosuka City Mus. 38:81-87. (Japanese)

Peckarski, B.L., Fraissinet, P.R., Penton, M.A., Conklin, D.J., jr. 1990
Freshwater macroinvertebrates of northeastern North America. XI+442 pp. (Trichoptera:96-130). Cornella Univ. Press, Ithaca + London.

Van Urk,G., bij de Vaate,A. 1990 Ecological studies in the Lower Rhine in the Netherlands. - Limnologie aktuell 1:131-145.

1991

Harding, J.S. 1991 The larva of Neurochorema forsteri McFarlane (Trichoptera: Hydrobiosidae). – NZ Nat.Sci. 18:51-54

Harris, S.C., O'Neil, P.E., Lago, P.K. 1991 Caddisflies of Alabama. - Geol. Surv. Ala. Bull. 142: 1-442.

Henderson, I.M. 1991 Biogeography without area ? - Aust.Syst.Bot. 4:59-71.

Kerzhner, I.M. 1991 Comment on the conservation of Semblis Fabricius, 1775 (Insecta, Trichoptera) by the designation of Phryganea phalaenoides Linnaeus 1758 as the type species. - Bull.Zool.Nomencl. 48:58.

Olafsson,E. 1991 Islenskt skordýratal. – Fjölrit Náttúrúfraedistofuunar 17,69 pp.;Trich.:p.23. Reykjavik.

Sykora, J.L. 1991 New species of Hydrobiosidae from Ecuador (Insecta: Trichoptera: Annulipalpia). -Ann. Carnegie Mus. 60:243-251.

1992

Aguila, S.Y.

Systematic catalogue of caddisflies of Panama (Trichoptera): 532-548, 654, 663. - In: Quintero, D., Aiello, A. (eds.): Insects of Panama and Mesoamerica: selected studies. Oxford Univ. Press, Oxford, XXII+692 pp.

Mey, W. 1992 Macrostemum thomasi n.sp., eine neue Köcherfliege aus Sikkim, Nordindien (Trichoptera, Hydropsychidae). – Nachr.Ent.Ver.Apollo 13(3a):393-400.

Schmid, F. 1992 Les Brachycentrides en Inde (Trichoptera, Integripalpia). – Bijdr. Dierk. 62:99–109.

Wulfhorst, J.

Biomassen versauerungsindikativer und versauerungstoleranter Taxa in Moospolstern (Bryorheal) und im hyporheischen Interstitial in einem Versauerungsgradienten in zwei Bergbächen im Westharz. – Zusfass. Jahrestagung Dt. Ges. Limnol. 1992(2):694-698.

1993

Andersen, T., Johanson, K.A., Kobro, S., Ligaard, S. 1993 Faunistical records of caddis flies (Trichoptera) from Östfold and Akershus, SE Norway. - Fauna norv. Ser. B. 40:1-12.

Andersen, T., Hansen, L.O., Johanson, K.A., 1993
Faunistical records of caddis flies (Trichoptera)
from Buskerud, South Norway. - Fauna norv.Ser.B
40:49-57.

Botosaneanu, L., Alkins-Koo, M. 1993 The caddis flies (Insecta: Trichoptera) of Trinidad and Tobago, West Indies. -Bull.Inst.r.Sci.nat.Belg., Ent. 63:5-45.

Chen, Y.E. 1993 Revision of the Oecetis (Trichoptera: Leptoceridae) of the World. - Diss., Clemson University (Clemson SC, USA), 704 pp.

Cianficconi, F., Moretti, G., Valle, M. 1993 I tricotteri del Museo di Bergamo (II nota). Segnalazioni nuove per la fauna italiana. -Riv.Mus.civ.Sc.Nat."E.Caffi" Bergamo 16:255-286.

Dobson, R.M. 1993
The natural history of the Muck Islands, North
Ebudes. 9.Insecta: Neuroptera, Trichoptera,
Siphonaptera and Hymenoptera - Symphyta and
Aculeata. - Glasgow Naturalist 22:255-258.

Early, J.W., Gilbert, R.F. 1993 Primary types of terrestrial and freshwater Protista, Annelida and Arthropoda in the Auckland Institute and Museum: an annotated list. -Rec. Auckland Inst. Mus. 30:49-86.

Gullefors, B., Petersson, E. 1993 Sexual dimorphism in relation to swarming and pair formation patterns in leptocerid caddisflies (Trichoptera: Leptoceridae). – J.Insect Behavior 6:563-577.

Hering, D., Schmidt, T. 1993 Die Insektenfauna eines naturnahen Bergbaches im Hochsauerland. – Ent. Z. (Essen) 103:98-108.

Kobayashi, T.
Eurycnemus sp. (Diptera: Chironomidae) ectoparasitic on pupae of Goera japonica (Trichoptera), newly recorded in Japan. - Jap. J. Sanitary Zool. 44:401-404.

MacLean, B.K., MacLean, D.B.

Adult trichoptera of the Devil Track River watershed, Cook county, Minnesota and their role in biomonitoring. - Ohio J.Sci. 93:49.

Monson, M.P., Holzenthal, R.W. 1993 A new species and new records of Oxyethira (Trichoptera: Hydroptilidae) from Minnesota. -J.N.Am. Benthol. Soc. 12:438-443.

Moretti, G.P., di Giovanni, M.V., Gianotti, F.S., Pirisinu, Q., Taticchi, M.I., Goretti, E. 1993 Distribuzione in Italia dei taxa costituenti la collezione tricotterologica G.P. Moretti (1889-1990) e rassegna bibliografica (1932-1990). - Riv. Idrobiol. 32:129-157.

Munoz,Q.F., Holzenthal,R.W. 1993 New species and records of Costa Rican Austrotinodes (Trichoptera: Ecnomidae). – Proc.Ent.Soc.Wash. 95:564-573.

Novokshonov, V.G. 1993 Caddis flies (Insecta, Trichoptera, Microptysmatidae) - Paleont. J. 27(1A):90-102.

Schmid, F. 1993 Quatre genres de trichoptères forlignants. -Fabreries 18:37-48.

Schmid, F. 1993 Un nouveau genre leptocerin dravidien (Trichoptera, Leptoceridae). - Fabreries 18:74-77.

Wells, A., Cartwright, D.I.

Trichoptera, Ephemeroptera, Plecoptera and Odonata of the Jardine River area, Cape York Peninsula, Northern Queensland. - Rep. Cape York Peninsula Sci. Exp. 1992 (Royal Geogr. Soc. Queensland) 2:221-230.

1994

Amann,E. 1994
Außergewöhnlicher Köcherbau einer Köcherfliegenart
Limnephilus flavicornis in den Ruggeller
Rietgräben. – Ber.Bot.-Zool.Ges.Liechtenstein –
Sargans – Werdenberg 21:191-193.

Anderson, T., Klausen, F.E. 1994 Light trap catches of caddis flies (Trichoptera) from a regulated and acidified Southwest Norwegian river. - Fauna norv.Ser.B 41:13-18.

Andrikovics, S., Hadnagy, T. 1994 Ecological evaluation of aquatic invertebrates distribution of Apátkút Creek (Visegrád Mountain, Hungary) in winter. – Misc. Zool. Hung. 9:89–103.

Bicchierai, M.C., Moretti, G. 1994 Esame comparativo al microscopio elettronico a scansione dei palpi mascellari e labiali di Tricotteri della fauna italiana. – Atti XVII Congr.naz.ital.Ent.:107-113.

Blanke, D. 1994

Zur Eintags-, Stein- und Köcherfliegenfauna (Insecta: Ephemeroptera, Plecoptera; Trichoptera) des südniedersächsischen Baches Bremke (Nörten - Hardenberg / Kreis Northeim). - Ber.Naturhist.Ges.Hannover 136:197-205.

Botosaneanu, L. 1994 A study of the larvae of caddisflies (Trichoptera) from Cuba. - Trop. Zool. 7:451-475.

Botosaneanu, L. 1994 Les trichoptères de la Guadeloupe. -Ann. Soc. ent. Fr. (N.S.) 30:33-54.

Cartwright, D.I.

New species and new records of Ecnomus McLachlan (Trichoptera, Ecnomidae) from Indonesia. – Mem. Mus. Vict. 54:447-459.

Cianficconi, F., Moretti, G., Castellani, M. 1994 La vita nelle "pozze d'alpeggio" dell'Appennino centrale: i Tricotteri. – Atti XVII Congr.naz.ital.Ent.:417-422.

Corallini Sorcetti, C., Spinelli Batta, G., Bicchierai, M.C. 1994 Morfologia dell'apparato boccale di Ceraclea fulva Rambur (Trichoptera: Leptoceridae). – Atti XVII Congr.naz.ital. Ent.: 303-308.

Creed,R.P.,Jr. 1994 Direct and indirect effects of crayfish grazing in a stream community. - Ecology 75:2091-2103.

Csányi, B. 1994
The macrozoobenthon community of the Danube between Rajka and Budapest. - Misc.zool.Hung. 9:105-116.

Czachorowski,S. 1994 Concomitance of caddis fly (Trichoptera) larvae in four Masurian lakes differing trophically (north eastern Poland). - Acta hydrobiol.(Kraków) 36:213-225.

Czachorowski,S. 1994 Stan badań nad poznaniem fauny chruścików (Insecta: Trichoptera) Polski Pólnocno – Wschodniej. – Przegl.Zool. 38:221–231.

Czachorowski,S. 1994 Classification of small water bodies on the basis of the presence of caddisflies. – Ekol.pol. 42:41–59.

Dallai,R., Afzelius,B.A. 1994
Sperm structure of Trichoptera.
I.Integripalpia:Limnephiloidea. - Int.J.Insect
Morphol.Embryol. 23:197-209.

Dudgeon, D. 1994
The functional significance of selection of particles by aquatic animals during building behavior. - In: Wotton, R.S. (ed): The biology of particles in aquatic systems, 2nd ed., pp.289-312. Lewis Publ.:Boca Raton.

Dudgeon, D., Corlett, R. 1994 Hills and streams. An ecology of Hongkong. -Hongkong Univ.Press, 234pp.

Duke, M.J. 1994 New records of Beraeodes minutus (L.) and Allotrichia pallicornis (Eaton) (Trichoptera) in Ireland. - Bull. Ir. Biogeogr. Soc. 17:7-8.

Flannagan, J.F., Cobb, D.G., Flannagan, P.M. 1994 A review of the research on the benthos of Lake Winnipeg. - Can. Manuscr. Rep. Fish. Aquat. Sci. 2261:1-17.

Flannagan, J.F., Cobb, D.G.

Studies on some riverine insect emergence traps:
Effects of sampling frequency and trap design. Can.Tech.Rep.Fish.Aquat.Sci. 1995:1-10.

Friberg, N., Jacobsen, D. 1994 Feeding plasticity of two detritivore-shredders. -Freshwat.Biol. 32:133-142. (On Sericostoma personatum)

di Giovanni, M.V., Gianotti, F.S., Pirisinu, Q., Taticchi, M.I., Goretti, E. 1994
Structure and meaning of the trichopterological collection. - Boll. Zool. 61:371-374.

González, M.A., Botosaneanu, L. 1994 Revision de las especies ibericas y pirenaicas del genero Synagapetus (Trichoptera: Glossosomatidae) con la descripcion de una nueva especie. -Graellsia 50:9-19.

Gyotoku, N., Nozaki, T., Uenishi, M. 1994 A list of Trichoptera of Fukuoka Prefecture, Northern Kyushu, Japan, 5. – Kita-Kyushu no Konchu 41(2):131-134.

Hardwick, M., Smith, S.D. 1994 The seasonal distribution of the Trichoptera of Yakima River. - Northwest Sci. 68:128.

Johansson, A., Nilsson, A.N. 1994 Insects of a small aestival stream in northern Sweden. - Hydrobiologia 294:17-22.

Lyford, B.M. 1994 Lepidoptera and Trichoptera from Paroa, near Greymouth, New Zealand. - NZ Ent. 17:46-51.

Malicky, H. 1994 A survey of the caddisflies (Trichoptera) of Greece. - Biol.gallo-hellen. 20("1993"):115-121.

Mathis, M.L., Bowles, D.E. 1994 A description of the immature stages of Paduniella nearctica (Trichoptera: Psychomylidae) with notes on its biology. – J.New York Ent.Soc. 102:361-366.

Moretti, G., Szczesny, B., Tobias, W. 1994 Systematische Differenzierung innerhalb der Potamophylax cingulatus-Gruppe (Insecta: Trichoptera: Limnephilidae). - Senckenb.biol. 74:91-102.

Morse, J.C. 1994 Caddisflies, in: Deyrup, M., Franz, R. (eds): Rare and endangered biota of Florida, vol.4: Invertebrates, pp.501-569. Univ. Press of Florida.

Moulton, S.R., Stewart, K.W., Young, K.L. 1994 New records, distribution and taxonomic status of some northern Arizona caddisflies (Trichoptera). -Ent.News 105:164-174. Nozaki, T. 1994 Notes on two Nothopsyche species (Trichoptera, Limnephilidae), N.pallipes Banks and N.ulmeri Schmid, from Japan. - Jap. J. Ent. 62(3):433-444.

Nozaki, T., Ito, T., Tanida, K. 1994 Checklists of Trichoptera in Japan. 2.Glossosomatidae, Beraeidae, Odontoceridae and Molannidae. – Jap.J.Limnol. 55(4):297–305.

Palmer, R.W. 1994 Detrimental effects of Fenthion (Queletox° UL), used to control red-billed Quelea (Quelea quelea), on rheophilic benthic macroinvertebrates in the Orange River. - Sth. Afr. J. aquat. Sci. 20:33-37.

Patrick, B.H. 1994
Valley floor Lepidoptera of Central Otago. - Otago
Conservancy Misc. Ser. 19:1-54.
(Dept. Conserv. Dunedin, NZ)

Riedel, W., Majecki, J. 1994 Chruściki (Trichoptera) Roztocza. -Frag. Faun. (Warszawa) 37:315-322.

Sangpradub, N., Giller, P.S. 1994 Gut morphology, feeding rate and gut clearance in five species of caddis larvae. - Hydrobiologia 287:215-223.

Schmid, F. 1994 Le genre Triaenodes McLachlan en Inde (Trichoptera, Leptoceridae). - Fabreries 19:1-11.

Schmid, F. 1994 Les Adicella du groupe de pulcherrima (Trichoptera, Integripalpia, Leptoceridae). – Fabreries 19:37-44.

Solem, J.O., Alm, T. 1994 Southwards migration of freshwater invertebrates from northern Norway. - Fauna norv.Ser.A 15:9-18.

Spinelli Batta, G., Moretti, G. 1994 Confronto al SEM del profilo del X segmento del maschio di Hydropsyche gr.instabilis e di Hydropsyche pellucidula (Insecta: Trichoptera). – Atti XVII Congr.naz.ital.Ent.:115-119.

Stobbart, R.H. 1994
Two collections of caddis (Trichoptera) larvae in the Hancock Museum, Newcastle upon Tyne. - Ent.Mon.Mag. 130:245-246.

Towers, D.J., Henderson, I.M., Veltman, C.J. 1994 Predicting dry weight of New Zealand aquatic macroinvertebrates from linear dimensions. - NZ J.Mar.Freshw.Res. 28:159-166.

Uherkovich, A., Nógrádi, S. 1994 Further studies on caddisfly (Trichoptera) fauna of the Northern Mountains, Hungary. -Fol. Hist. Nat. Mus. Matraensis 19:77-95.

Utsunomiya,Y.

Occurrence of the genus Scelotrichia in Japan with the description of a new species (Trichoptera: Hydroptilidae). - Trans.Shikoku Ent.Soc. 20:345-348.

Vshivkova, T.S., Nozaki, T., Kuranishi, R., Arefina, T.I. 1994 Caddisflies (Insecta, Trichoptera) of the Kurile Islands. - Bull.Biogeogr.Soc.Jap. 49:129-142.

Walt, R.E.de, Stewart, K.W., Moulton, S.R.II, Kennedy, J.H. 1994
Summer emergence of mayflies, stoneflies, and caddisflies from a Colorado mountain stream. - Southwest.Nat. 39:249-256.

Ward, J.B. 1994-95
The New Zealand marine caddisflies (Trichoptera).

- The Weta 17:18-20, 41-43, 18:14.

Wieser, C., Jungmeier, M. (eds) 1994
Bracheprojekt "Metschach". – Naturschutz in
Kärnten 13:1–139 (Amt der Kärntner
Landesreg., Klagenfurt)

Wood, P.J., Petts, G.E.

Low flows and recovery of macroinvertebrates in a small regulated chalk stream. - Regulated rivers 9:303-316.

Wulfhorst, J. 1994 Selected faunal elements of the hyporheos and in submerged moss clumps (bryorheal) along an acidification gradient in two brooks in the Harz Mountains, West Germany. - Verh.IVL 25:1575-1584.

199

Alecke, C., Kaschek, N. 1995 Zur Unterscheidung der Weibchen von Polycentropus flavomaculatus (Pictet 1834) und Polycentropus irroratus (Curtis 1835) (Trichoptera: Polycentropodidae). - Ent. Z. (Essen) 105:219-225.

Andersen, T. 1995 Leptocerus tineiformis Curtis, 1834 (Trich., Leptoceridae), a new caddis fly for Norway. - Fauna Norv. 42:63-70.

Anderwald, P.H., Waringer, J.A. 1995 Addenda to the paper "Inventory of the Trichoptera species of the Danube and longitudinal zonation patterns of caddisfly communities within the Austro-Hungarian part". - Arch. Hydrobiol. Suppl. 101:215-216.

Angrisano, E.B.

El orden Trichoptera en la Argentina y países
limitrofes. - Physis (Buenos Aires), Secc.B,
50:19-25.

Angrisano, E.B. 1995 Contribucion para el conocimiento de las Oxyethira neotropicales (Trichoptera, Hydroptilidae). - Physis (Buenos Aires), Secc.B, 50:27-35.

Angrisano, E.B. 1995 Insecta Trichoptera. - In: Lopretto, E.C., Tell, G. (eds): Ecosistemas de aguas continentales. La Plata, Argent., pp.1199-1237.

Blahnik, R.J. 1995 New species of Smicridea (subgenus Smicridea) from Costa Rica, with a revision of the fasciatella complex (Trichoptera: Hydropsychidae). – J.N.Am.Benthol.Soc. 14:84-107.

Botosaneanu, L.

Additional documents to the knowledge of the Trichoptera of Romania, with data on European taxa from outside this country (Insecta, Trichoptera). - Faun. Abh. (Dresden) 20:57-88.

Botosaneanu, L. 1995 Nouvelles données sur Ernodes vicinus (McL., 1879) et E.botosaneanui Vaillant, 1982 (Insecta, Trichoptera, Beraeidae). - Spixiana 18:251-254.

Botosaneanu, L. 1995 Caddis Flies (Trichoptera) from Turonian (Upper Cretaceous) Amber of New Jersey. - Am. Mus. Nov. 3140:1-7.

Botosaneanu, L. 1995 Caddis flies (Trichoptera) from the Dominican Republic (West Indies). I.The Hydroptilidae. -Bull.Inst.R.Sci.Nat.Belg., Ent. 65:21-33.

Botosaneanu, L., Nozaki, T., Kagaya, T. 1995 Nippoberaea, gen.n. for Ernodes gracilis Nozaki & Kagaya, 1994 (Trichoptera: Beraeidae). – Ann. Soc. Ent. Fr. (N.S.) 31:179-184. Brittain, J.E., Bildeng, R. 1995 Life cycle of Arctopsyche ladogensis (Trichoptera) in a regulated Norwegian river. - Regulated Rivers 10:71-79.

Chvojka,P. 1995 On a small collection of Trichoptera (Insecta) from the vicinity of Lake Baikal. - Siberian Naturalist (Praha) 1:3-5.

Chvojka,P. 1995 Results of the Czechoslovak-Iranian entomological expeditions to Iran. Trichoptera. -Cas.Národn.muz., Rada pŕir. 164:101-105.

Czachorowski, S. 1995 Chruściki (Trichoptera) Bagien Biebrzańskich wyniki wstepnych badań. - Frag. Faun. (Warszawa) 37:427-438.

Czachorowski,S. 1995 Wstepna charakterystyka chruścików Trichoptera drobnych wód stojacych polnocnej Polski. – Przeglad Przyrodniczy 6(1):59-71.

Czachorowski, S. 1995 Larwy chruścików Trichoptera czterech jezior różniacych sie trofia (Polnocna Polska). - Przeglad Przyrodniczy 6(2):21-52.

Czachorowski,S., Kurzatowska,A. 1995 Chruściki Trichoptera i pluskwiaki wodne Heteroptera zanikajacego zbiornika kolo Zabiego Rogu (Polnocna Polska). - Przeglad Przyrodniczy 6(2):53-60.

Czachorowski,S. 1995 Dwa gatunki chruścików (Trichoptera, Hydroptilidae) nowe dla fauny Polski. – Przeglad Zoologiczny 39:279-281.

Dallai,R., Afzelius,B.A. 1995 Sperm structure of Trichoptera. II.The aflagellated spermatozoa of Hydroptila, Orthotrichia and Stactobia (Hydroptilidae). – Int.J.Insect Morphol.Embryol. 24:161-170.

Dallai,R., Lupetti,P., Afzelius,B.A. 1995 Sperm structure of Trichoptera. III.Hydropsychidae, Polycentropodidae and Philopotamidae (Annulipalpia). - Int.J.Insect Morphol.Embryol. 24:171-183.

Dallai,R., Lupetti,P., Afzelius,B.A. 1995 Sperm structure of Trichoptera. IV.Rhyacophilidae and Glossosomatidae. - Int.J.Insect Morph.Embryol. 24:185-193.

Dessaix, J., Fruget, J.-F., Olivier, J.-M., Beffy, J.-L.

Changes of the macroinvetrebrate communities in the dammed and by-passed sections of the French upper Rhône after regulation. - Regulated Rivers 10:265-279.

Duffield, R.M., Flint, O.S., Nelson, C.H. 1995 Glossosoma verdona (Glossosomatidae: Trichoptera) in the diet of Brook Trout (Salvelinus fontinalis) in Libby Creek, Wyoming, USA. – J.Kansas Ent.Soc. 67:277-282.

Edington, J.M., Hildrew, A.G. 1995 A revised key to the caseless caddis larvae of the British Isles with notes on their ecology. - FBA Sci.Publ.no. 53:1-134.

Fey, J.M. 1995 Köcherfliege Hydropsyche. Nethbauer unter Wasser. – Praxis der Naturwiss., Biol. 44(2):13-19.

Filipinski,B., Böttger,K.

Die Köcherfliegen-Emergenz eines norddeutschen
Seeausflusses (Unterer Schierenseebach,
Schleswig-Holstein). - Lauterbornia 22:99-110.

Floyd, M.A. 1995 Larvae of the caddisfly genus Oecetis (Trichoptera: Leptoceridae) in North America. - Bull.Ohio Biol.Survey 10(3):VIII+85 pp.

Floyd, M.A. 1995 The larva and pupa of the caddisfly species, Helicopsyche paralimnella Hamilton (Trichoptera: Helicopsychidae). - Proc.Ent.Soc.Wash. 97:46-49.

Grübling, T. 1995 Wiederfund von Philopotamus montanus Donovan 1813 (Trichoptera, Philopotamidae) im Norddeutschen Tiefland (Schleswig-Holstein). - Lauterbornia 22:51-52.

Haase, P., Meijering, M.P.D. 1995 Zur Makroinvertebratenfauna eines naturnahen Bergbaches in Nordhessen. – Lauterbornia 20:65-75.

Hering, D. 1995 Die Wasserinsektenfauna einiger nordalpiner Flußauen (Insecta: Ephemeroptera, Plecoptera, Coleoptera, Trichoptera). – Lauterbornia 22:31-49.

Holzenthal,R.W. 1995
The caddisfly genus Nectopsyche: New gemma group species from Costa Rica and the Neotropics (Trichoptera: Leptoceridae). – J.N.Am.Benthol.Soc. 14:61-83.

Holzenthal,R.W., Flint,O.S.jr. 1995 Studies of neotropical caddisflies, LI: Systematics of the neotropical caddisfly genus Contulma (Trichoptera: Anomalopsychidae). – Smiths.Contr.Zool. 575:1-59.

Ito, T. 1995
Description of a boreal caddisfly, Micrasema gelidum McLachlan (Trichoptera, Brachycentridae), from Japan and Mongolia, with notes on bionomics. - Jpn.J.Ent. 63:493-502.

Ito, T., Minakawa, N. 1995 Variations of Dinarthrum stellatum Ito (Trichoptera, Lepidostomatidae) males from Hokkaido and Kuril Islands, the Asian Far East. -Jpn.J.Ent. 63:667-668.

Jackson, J.K., Sweeney, B.W. 1995 Egg and larval development times for 35 species of tropical stream insects from Costa Rica. – J.N.Am.Benthol.Soc. 14:115-130.

Jacobsen, D., Friberg, N. 1995 Food preference of the trichoptera larva Anabolia nervosa from two streams with different food availability. - Hydrobiologia 308:139-144.

Johanson, K.A.

A catalog of the Helicopsychidae (Insecta: Trichoptera) of the world. Bull.Zool.Mus.Univ.Amsterdam 14:101-123.

Johanson, K.A.

Eight new species and a revised key to Australian Helicopsyche (Trichoptera: Helicopsychidae). - Ent.scand. 26:241-272.

Johanson, K.A. 1995 Revision of the European Helicopsyche (Trichoptera: Helicopsychidae). - Ent.scand. 26:321-338.

Kahnert, M. 1995 Beitrag zur Köcherfliegenfauna in Quell-Biotopen am Mindelsee. – Lauterbornia 22:121-129.

Komposch, C., Malicky, H. 1995 Köcherfliegen (Trichoptera). – In: Wieser, C., Kofler, A., Mildner, P. (eds): Naturführer Sablatnigmoor: 185–190. (Naturwiss. Ver. Kärnten, Klagenfurt). Lancaster, J., Robertson, A.L. 1995 Microcrustacean prey and macroinvertebrate predators in a stream food web. - Freshw.Biol. 34:123-134. (On Plectrocnemia conspersa)

Levanidova, I.M., Vshivkova, T.S., Arefina, T.I., Zasypkina, I.A. 1995
A tabular check-list of caddisflies (Insecta: Trichoptera) of the Russian Far East. - Far Eastern Ent. 16:1-19.

Levanidova, I.M., Arefina, T.I., Kuhara, N. 1995 East Palaearctic Allomyia (Trichoptera: Apataniidae). – Aquat.Insects 17:193-204.

Littlewood, S.C. 1995 Trichoptera (less Hydroptilidae) of the River Teme at Ludlow, Shropshire. - Ent. Mon. Mag. 131:83-93.

McCaw, M.A., Ward, J.B. 1995 Larval cases of freshwater caddis (Trichoptera) used as shelters by a marine crustacean Zenobiana tubicola (Isopoda: Idoteidae). - The Weta 18:12-13.

Mädler,K. 1995 Die Entwicklung des Macrozoobenthon der oberen Elbe in den Jahren 1988 bis 1994. – Int.Rev.ges.Hydrobiol. 80:667-685.

Maier, K.-J., Kampwerth, U., Peissner, T., Speidel, E.

Beitrag zur Kenntnis der Köcherfliegenfauna Baden-Württembergs (Insecta: Trichoptera). – Lauterbornia 22:143–156.

Malicky, H. 1995 The caddisflies (Insecta; Trichoptera) of Seychelles: taxonomy, zoogeography, biology and conservation. – Phelsuma (Victoria) 3:15-22.

Malicky, H., Chantaramongkol, P.

The altitudinal distribution of Irichoptera species in Mae Klang catchment on Doi Inthanon, northern Thailand: stream zonation and cool- and warm-adapted groups. Studies on caddisflies of Thailand no. 16. – Rev. Hydrobiol. trop. 26:279-291.

Malicky,H. 1995 Eine neue Psychomyia aus dem südöstlichen Mitteleuropa, mit Bemerkungen über die Gattung Metalype (Trichoptera: Psychomyiidae). – Ent.Z.(Essen) 105:441-446.

Malicky, H. 1995 Neue Köcherfliegen (Trichoptera, Insecta) aus Vietnam. – Linzer biol. Beitr. 27:851-885.

Malmqvist,B., Nilsson,A.N., Baez,M. 1995 Tenerife's freshwater macroinvertebrates: status and threats (Canary Islands, Spain). -Aquat.Conservation 5:1-24.

Malmqvist,B., Oberle,D. 1995 Macroinvertebrate effects on leaf pack decomposition in a lake outlet stream in northern Sweden. - Nordic J.Freshw.Res. 70:12-20.

Martin, I.D., Wainman, B.C., Rutherford, J.E., Guy, M. 1995
Life history variation in lipid, protein, and carbohydrate composition of a dominant grazer, the caddisfly Neophylax fuscus (Uenoidae), in the Maitland River, Ontario. - Proc. 38th Conf. Int. Ass. Great Lakes Res.: 108. (Summary only)

Mey, W. 1995
Bearbeitung einer kleinen Kollektion von Köcherfliegen aus Vietnam (Trichoptera). – Ent.Z.(Essen) 105:208-218.

Mey, W. 1995 Beitrag zur Kenntnis der Köcherfliegenfauna der Philippinen, I. (Trichoptera). – Dt.ent.Z., N.F. 42:191-209. Moog, O. (ed)

Fauna aquatica Austriaca. Katalog zur autökologischen Einstufung aquatischer Organismen Österreichs. – Bundesministerium Land- und Forstwirtschaft, Wien, cca.400 pp.

Moog, O., Humpesch, U.H., Konar, M. 1995 The distribution of benthic invertebrates along the Austrian stretch of the River Danube and its relevance as an indicator of zoogeographical and water quality patterns - part 1. -Arch. Hydrobiol. Suppl. 101:121-213.

Moretti, G.P., Cianficconi, F. 1995 Trichoptera. In: Checklist delle specie della fauna Italiana 79:1-17. - Ed.Calderini, Bologna.

Nimmo, A.P. 1995 New species of Hydropsychidae and Limnephilidae (Insecta, Trichoptera) from the Far East of Russia, with description of a new genus of Limnephilidae (Limnephilini). - Occ.Ppap.Trich.Taxon.(Edmonton, Canada) 1:1-15.

Nógrádi, S.
Hungarian locality data of Ujhelyi's Trichoptera collection in the Hungarian Natural History Museum. - Fol.Ent.Hung. 56:119-131.

Nógrádi, S., Uherkovich, A. 1995 A Dráva magyarországi szakaszának tegzes (Trichoptera) faunája. – Dunántúli Dolg. Term. tud. Sorozat (Pécs) 8:117-137.

Nyman, C.

1995

Macrozoobenthos in some rapids in a lowland river in Finland before and after the construction of a hydroelectric power plant. - Regulated Rivers 10:199-205.

O'Connor, J.P., Bond, K.G.M.

Limnephilus pati O'Connor rediscovered and
L.tauricus Schmid (Trichoptera: Limnephilidae) new
to Ireland. - Ent.Gaz. 46:207-208.

Orendt, C. 1995
Die Evertebratenfauna eines Seitengewässer-Systems der Alz/Inn bei Altenmarkt/Oberbayern mit Nachweis von Setodes argentipunctellus (McLachlan), einer "ausgestorbenen" Köcherfliegenart. – Lauterbornia 20:55-63.

Otto, C., Johansson, A. 1995 Why do some caddis larvae in running water construct heavy, bulky cases ? - Anim.Behav. 49:473-478.

Otto, C.-J. 1995 Zur Verbreitung von Hydropsyche-Arten sowie Neufund von Hydropsyche bulbifera (Trichoptera: Hydropsychidae) im Norddeutschen Tiefland. -Lauterbornia 22:17-23.

Peissner, T., Kappus, B., Steiner, R. 1995 Zur Köcherfliegen- und Libellenfauna eines Standortübungsplatzes bei Stuttgart (Landkreis Böblingen, Baden-Württemberg). – Lauterbornia 22:131-142.

Peterson, E. 1995 Male load-lifting capacity and mating siccess in the swarming caddis fly Athripsodes cinereus. -Physiol. Entomol. 20:66-70.

Poff, N.L., Ward, J.V.

1995
Herbivory under different flow regimes: a field experiment and test of a model with a benthic stream insect. - Oikos 71:179-188. (On Agapetus boulderensis)

Reusch, H. 1995 Revision der Köcherfliegen (Trichoptera) im Niedersächsischen Landesmuseum Hannover. – Lauterbornia 22:53-67. Robert, B., Weber, D., Malicky, H., Pitsch, T., Schmidt, C., Kampwerth, U., Peissner, T. 1995 Stenophylax mitis McLachlan 1875 - nach fast 70 Jahren in Deutschland wiedergefunden (Trichoptera: Limnephilidae). - Ent. Z. (Essen) 105:117-126.

Ruiter, D.E. 1995 The adult Limnephilus Leach (Trichoptera: Limnephilidae) of the New World. - Bull.Ohio Biol.Survey N.S. 11(1):1-200.

Schmid, F. 1995 Les Oecetis du groupe d'eburnea en Inde (Trichoptera: Leptoceridae). - Fabreries 20:41-56.

Schmid, F. 1995 Les Oecetis du groupe de testacea en Inde (Trichoptera: Leptoceridae). – Fabreries 20:57-78.

Schmid,F. 1995 Le genre Oecetis en Inde (Trichoptera: Leptoceridae). - Fabreries 20:113-151.

Schmidt, C., Robert, B.

Naturkundliche Untersuchungen zum
Naturschutzgebiet "Die Spey" (Stadt Krefeld, Kreis
Neuss). VI.Die Köcherfliegen (Insecta,
Trichoptera). – Natur am Niederrhein (N.F.)
10:62-68.

Schmidtke,R., Brandt,S.

Ökologische und chemotaxonomische Untersuchungen zur Arttrennung von Sericostoma flavicorne Schneider 1845 und Sericostoma personatum (Spence in Kirby und Spence 1826) (Trichoptera: Sericostomatidae). – Lauterbornia 22:69–83.

Schöll, F., Becker, C., Tittizer, T. 1995 Das Macrozoobenthos des schiffbaren Rheins von Basel bis Emmerich 1986-1995. - Lauterbornia 21:115-137.

Schreiber, E.S.G. 1995 Long-term patterns of invertebrate stream drift in an Australian temperate stream. - Freshw.Biol. 33:13-25.

Sipahiler, F. 1995 Three new species of Trichoptera from Anatolia. -Aquat. Insects 17:215-222.

Sommerhäuser, M. 1995 Zur Köcherfliegenfauna der Fließgewässer des Niederrheinischen Tieflands – faunistische und typologische Aspekte. – Lauterbornia 22:85-97.

Speth, S. 1995
Ein Beitrag zur Ephemeroptera-, Plecoptera- und
Trichoptera-Fauna (Insecta) norddeutscher
Tieflandbäche anhand von Emergenzfängen aus
Osterau und Rodenbek, zwei Bächen der
jungglazialen Sander Schleswig-Holsteins. Limnologica 25:237-250.

Tanida, K. 1995
Corrections on "A orogress report on a small collection of Trichoptera adults from Primorye krai and Khabarovsk krai." Rep.stud.struct, funct. River Ecosyst. Far East 3:37.

Tanida, K., Uenishi, M., Vshivkova, T.S. 1995 Trichoptera adults collected in the upper area of the Yoshino-gawa River (Higashi-yoshino-mura, Nara, Central Japan), 2. - Biol. Inl. Wat. 10:1-6. (Japanese)

Tobias, W. 1995 Eine neue Wormaldia-Art aus Frankreich (Trichoptera: Philopotamidae). - Ent.Z.(Essen) 105:345-348.

Vshivkova, T.S.

New records of caddisflies (Trichoptera) from the Russian Far East. - Far Eastern Ent. 15:1-8.

Vshivkova, T.S., Tanida, K.
Caddisfly fauna (Insecta, Ussuri River (Russian Far Rep.stud.struct.funct.River East, Primorye). Ecosyst.Far East 3:51-59.

Vshivkova, T.S., Tinnova, T.M., Teslenko, V.A., Kocharina, S.L., Kanykova, E.V. 1995
Preliminary results of the study on aquatic insects of the Razdolnaya River Basin (South Primorye, Russia). - Rep.stud.struct.funct.River Ecosyst.Far East 3:60-66.

Vuori, K.-M. 1995 Species- and population-specific responses of translocated hydropsychid larvae (Trichoptera, Hydropsychidae) to runoff from acid sulphate soils in the River Kyrönjoki, western Finland. -Freshw.Biol. 33:305-318.

Ward, J.B. 1995 Nine new species of New Zealand caddis (Trichoptera). - New Zealand J.Zool. 22:91-103

Warren, P.H. 1995 Estimating morphologically determined connectance and structure for food webs of freshwater invertebrates. - Freshw.Biol. 33:213-221.

Way, C.M., Burky, A.J., Bingham, C.R., Miller, A.C.
1995
Substrate roughness, velocity refuges, and macroinvertebrate abundance on artificial substrates in the lower Mississippi River. – J.N.Am.Benthol.Soc. 14:510-518. (on Hydropsyche oprie)

Weaver, J.S.III, Andersen, T. 1995 Four new African species of Lepidostoma Rambur (Trichoptera: Lepidostomatidae). - Aquat. Insects 17:113-122.

Weinzierl, A. 1995 Kenntnisstand der Köcherfliegen Niederbayerns. – Lauterbornia 22:3-16.

Weinzierl, A., Dorn, A. 1995 Neue und wiedergefundene Köcherfliegen (Trichoptera) für Bayern. – Lauterbornia 20:43–48.

Wells, A. 1995
Larva, pupa and notes on general biology of Tinodes radona Neboiss (Trichoptera: Psychomylidae). - The Beagle, Rec. Mus. Art Gall. N. Terr. 12:53-59.

Wells, A. 1995 New Caledonian Hydroptilidae (Trichoptera), with new records, descriptions of larvae and a new species. - Aquat. Insects 17:223-239.

Wells, A., Andersen, T. 1995 Tanzanian micro-caddisflies (Trichoptera: Hydroptilidae). - Tijd.Ent. 138:143-167.

Wiberg-Larsen, P. 1995 Identification of Danish adult females of Lype (Trichoptera: Psychomyiidae), with notes on reproduction. - Aquat.Insects 17:65-70.

Wichard, W., Arens, W., Eisenbeis, G. 1995 Atlas zur Biologie der Wasserinsekten. – Fischer, Stuttgart, 338pp.

Wichard, W. 1995 Lebensstrategien der Wasserinsekten. – Praxis Naturwiss., Biol. 44(2):1-17.

Wichard, W. 1995 Atmung der Köcherfliegenlarven. – Praxis Naturwiss., Biol. 44(2):26-29. Wichard, W. 1995 Köcherfliegen des Dominikanischen Bernsteins. VIII. Cubanoptila grimaldii n.sp., eine weitere fossile Art der Glossosomatidae (Insecta, Trichoptera). – Mitt.Geol.-paläontol.Inst.Univ.Hamburg 78:159-165.

Wichard, W. 1995 Köcherfliegen des Dominikanischen Bernsteins. IX. Fossile Leptoceridae der Gattung Setodes Rambur, 1842 (Insecta, Trichoptera). – Mitt.Geol.-paläontol.Inst.Univ.Hamburg 78:167-177.

Williams, N.E., Eyles, N. 1995 Sedimentary and paleoclimatic controls on caddisfly (Insecta: Trichoptera) assemblages during the last interglacial-to-glacial transition in southern Ontario. - Quatern.Res. 43:90-105.

Wohl, D.L., Wallace, J.B., Meyer, J.L. 1995 Benthic macroinvertebrate community structure, function and production with respect to habitat type, reach and drainage basin in the southern Appalachians (U.S.A.). - Freshwater Biol. 34:447-464.

Wüllner,B., Kohl,R.

Köcherfliegen der Saar bei Saarbrücken – Güdingen (Saarland) in Lichtfallenfängen und Benthosbesammlungen. – Lauterbornia 22:111–120.

Zamora-Muñoz, C., Alba-Tercedor, J., Garcia de Jalon, D. 1995
The larvae of the genus Hydropsyche (Hydropsychidae: Trichoptera) and key for the identification of species of the Iberian Peninsula. - Mitt. Schweiz. Ent. Ges. 68: 189-210.

Zintl,H. 1995 Wird der spontane Baumaterialwechsel von Potamophylax latipennis (Curtis) Neboiss (Limnephilidae) vom Juvenilhormon ausgelöst ? – Lauterbornia 22:25–29.

1996

Arefina, T.I. 1996
Polyplectropus Ulmer, a genus of Trichoptera (Polycentropodidae) new to the Russian fauna, with description of a new species. - Aquat.Insects 18:61-64

Basaguren, A., Elosegui, A., Pozo, J. 1996 Changes in the trophic structure of benthic macroinvertebrate communities associated with food availability and stream flow variations. – Int.Rev.ges.Hydrobiol. 81:79-91.

Bournaud, M., Cellot, B., Richoux, P., Berrahou, A.

Macroinvertebrate community structure and environmental characteristics along a large river: congruity of patterns for identification to species or family. - J.N.Am.Benthol.Soc. 15:232-253.

Dolédec, S., Dessaix, J., Tachet, H. 1996 Changes within the Upper Rhône River macrobenthic communities after the completion of three hydroelectric schemes: anthropogenic effects or natural change? - Arch. Hydrobiol. 136:19-40.

Ivanov, V.D., Menshutkina, T.V. 1996 Endemic caddisflies of Lake Baikal (Trichoptera, Apataniidae). – Braueria 23:

Malicky,H. 1996 Zwei neue Köcherfliegen aus Jordanien (Trichoptera: Hydroptilidae). – Ent.Z.(Essen) 106:203-205.

Mey, W. 1996 Zur Kenntnis der Hydropsyche pluvialis-Gruppe in Südostasien (Trichoptera: Hydropsychidae). – Ent.Z.(Essen) 106:144-152. Mey, W. 1996
Die Köcherfliegenfauna des Fan Si Pan - Massivs in Nord-Vietnam. 1.Beschreibung neuer und endemischer Arten aus den Unterordnungen Spicipalpia und Annulipalpia (Trichoptera). - Beitr. Ent. 46:39-65.

Neboiss, A. 1996 Notes and illustrations of some Hydropsyche and Hydromanicus types (Hydropsychidae). - Braueria 23:

Nógrádi, S., Kiss, O., Uherkovich, Á. 1996 The Trichoptera fauna of the Bükk National Park. - The fauna of the Bükk National Park: 397-409.

Ruiter, D. 1996 Initial list of Trichoptera collected in the USA by 1995 Symposium participants. – Braueria 23:

Sipahiler, F. 1996
Two new isolated species of Limnephilidae (Trichoptera) from northern Turkey. - Aquat. Insects 18:117-127.

Sipahiler, F. 1996
New species and subspecies of Trichoptera from Turkey (Glossosomatidae, Hydroptilidae, Limnephilidae). - Braueria 23:

Vieira-Lanero, R., Gonzalez, M.A., Cobo, F. 1996 The larva of Allogamus laureatus (Navás, 1918) (Trichoptera: Limnephilidae). – Aquat.Insects 18:37-44.

Vshivkova,T.S., Arefina,T.I. 1996 Electragapetus martynovi sp.n. (Trichoptera: Glossosomatidae) from Primorye (South of the Russian Far East). - Aquat.Insects 18:11-15.

Vuori, K.-M., Parkko, M. 1996 Assessing pollution of the river Kymijoki via hydropsychid caddis flies: population age structure, microdistribution and gill abnormalities in the Cheumatopsyche lepida and Hydropsyche pellucidula larvae. – Arch. Hydrobiol. 136:171-190.

Waringer, J.A. 1996 Phenology and abundance of Ephemeroptera, Plecoptera and Trichoptera caught by emergence traps at the Weidlingbach near Vienna, Austria. – Int.Rev.ges.Hydrobiol. 81:63-77.

Waringer, J., Graf, W. 1996 A key to fifth instar larvae of the Austrian Lepidostomatidae (Insecta: Trichoptera), including a description of Crunoecia kempnyi Morton, 1901. – Aquat.Insects 18:29–35.

Wiggins, G.B.

Larvae of the North American caddisfly genera (Trichoptera). 2nd edition. - Univ.of Toronto Press, Toronto, XIII+457 pp.



CHANGE OF ADDRESSES

Dave Ruiter 6260 South Grant Street Littleton, CO 80121 U S A

Nancy A.Erman
Department of Wildlife,
Fish & Conservation Biology
University of California, Davis
Davis, CA 95616
U S A